

- 19 -

WHAT IS CLAIMED IS:

1. A body fluid absorbent wearing article comprising:

a liquid-pervious topsheet;

5 a liquid-impervious backsheet;

a liquid-absorbent panel disposed between said topsheet
and said backsheet;

said panel being composed of by a first fibrous assembly
sub-panel lying on a side of said topsheet and having a
compressive restoring elasticity and a substantially flat
10 second fibrous assembly sub-panel underlying said first fibrous
assembly sub-panel;

said first fibrous assembly sub-panel having a
substantially flat portion spaced upward from said second
fibrous assembly sub-panel by a given dimension and a plurality
15 of protuberant portions embossed on said flat portion toward
said second fibrous assembly panel so as to bear against said
second fibrous assembly sub-panel; and

said first fibrous assembly sub-panel having a fiber
20 density progressively increasing as it gets nearer to said
second fibrous assembly sub-panel and said second fibrous
assembly sub-panel having a fiber assembly higher than that of
said first fibrous assembly sub-panel.

-20-

2. The body fluid absorbent wearing article according to Claim 1, wherein said first fibrous assembly sub-panel has a plurality of protuberant portions each extending from said flat portion toward said second fibrous assembly sub-panel but spaced upward from said second fibrous assembly sub-panel by a given dimension and serving to connect each pair of the adjacent protuberant portions with each other.

3. The body fluid absorbent wearing article according to Claim 2, wherein said first fibrous assembly sub-panel has a fiber density of $0.03 - 0.10 \text{ g/cm}^3$ in said flat portion and a fiber density of $0.05 - 0.15 \text{ g/cm}^3$ in said protuberant portions as well as in said wall portions, and said second fibrous assembly sub-panel has a fiber density of $0.10 - 0.50 \text{ g/cm}^3$.

4. The body fluid absorbent wearing article according to Claim 1, wherein said first fibrous assembly sub-panel comprises hydrophilic thermoplastic synthetic resin fiber by 70 - 100 wt% and cellulose fiber by 0 - 30 wt% while said second fibrous assembly sub-panel comprises said synthetic resin fiber by 0 - 50 wt% and said cellulose fiber by 50 - 100 wt%.

5. The body fluid absorbent wearing article according to

- 21 -

Claim 1, wherein said second fibrous assembly sub-panel contains at least one of fibrous or granular super-absorptive polymer by 0 - 50 wt%.